



mth concertto vivo

www.concertto.com



mth concertto vivo

**Metal hardness in a fresh and lively
package**

Meteh Oy has developed and patented the innovative MTH Concertto metal façade system. The MTH Concertto product family and its different applications offer new and high-quality material alternatives for buildings' exterior and interior surfaces and ceilings. Combining the best qualities of façade cassettes and profiled sheets, one MTH Concertto product sheet contains several embossed panels in the form of squares or rectangles. In an MTH Concertto façade, there are few cut edges and no straight horizontal surfaces that could collect dirt. The compact entity is durable and extremely rapid to install. The MTH Concertto metal façade combines beautiful appearance and freedom of design with cost-effectiveness, quick installation, and a high-quality result.

MTH Concertto Vivo is a surface-moulded sheet and part of the MTH Concertto product family. Alongside the traditional, flat MTH Concertto product sheet, MTH Concertto Vivo with a structured panel surface is available. The surface provides the product with a vivid, lively appearance, along with the hard characteristics of metal. The ability to combine flat and structured product ranges offers a new dimension to façade design. In addition to a lively and fresh appearance, MTH Concertto Vivo comes with the same structural benefits as the traditional MTH Concertto product sheet. The number of cut edges is optimal, and there are no open corners in the product. Together, these product characteristics ensure a uniform, compact façade structure.

The whole MTH Concertto product family is presented in a separate MTH Concertto product folder, which contains product brochures on different alternatives, design and installation instructions, GDL objects with their instructions for use, and colour samples for standard colours.

The effective width for a MTH Concertto Vivo façade sheet is 1,200 mm, and the maximum effective lengths are 3,200 mm for steel and 2,100 mm for aluminium. The length of the panels in one sheet is always the same. The panel width is 3 x 400 mm. Panel length can be 300 mm, 400 mm or 600 mm. The sheets can be installed vertically or horizontally.

Product types and panel lengths: MTH Concertto Vivo 444A
Panel length 300 mm, 400 mm or 600 mm

Material: Hot-dip galvanized steel sheet with PVDF coating (with protective film) or paint, material thickness 0.70 mm.

PVDF coated aluminum with colour or different textures (with protective film) or paint, material thickness 1.00 mm.


Both steel and aluminum with perforation.

Colour selection: Wide selection of standard colours and materials, also special colours.




MTH Concertto Vivo is also available with perforation.

Standard Colours



Colour 40
Silver
Steel 0.70 mm



Colour 41
Dark silver
Steel 0.70 mm



Marble texture
Carrara white
Aluminum 1.00 mm



Colour 42
Gold
Steel 0.70 mm



Colour 44
Metallic blue
Steel 0.70 mm



MTH Concertto Vivo product sheet made of PVDF coated aluminum with marble texture.

Innovative steel solutions

METEHE OY

www.metehe.com

Voimakaari 17 | 54100 Joutseno | FINLAND

Tel. +358 20 7639 640 | Fax. +358 20 7639 650 | myynti@metehe.fi

www.concertto.com